

# artisan

TIMBER



Artisan Timber specialises in superior quality timber flooring which is durable, classic and unique. Our flooring will give any home or office a feeling of warmth, beauty and elegance.

The timeless nature of European oak compliments both architecturally designed, contemporary style or any traditional home. So whether you're building or renovating, you can be assured we'll have the right product for you.

With Artisan Timber being the first choice for architects, designers and builders you can be assured that you are purchasing one of the best and highest quality timber floors on the market.

Artisan Timber only uses timber from sustainable plantations, supplied by one of the world's leading manufacturers, and therefore delivers only the highest quality products.

We also offer custom made stair nosings and trims to suit your requirements. Custom made mouldings will provide a flawless finish to any new floor.

artisan  
TIMBER

# Quality European

Oak is known for it's high permeability which makes it easy to stain, and as a result can be purchased in a variety of colours to suit any room in your home.

FLINDERS OAK UV OIL  
Private Residence

# Oak Flooring



## WHAT IS AN ENGINEERED FLOOR BOARD?

An engineered floor is a floorboard made of more than one piece of timber. The multi-plywood base can use up to 12 layers of thinly cut hardwood and softwood plantation timbers placed and glued in multiple directions. This increases the strength and stability of the top layer of solid timber. Engineered wood flooring is the most common type of wood flooring used globally.

**Engineered wood flooring has many benefits over solid wood**

- They are a more stable floor, which means fewer failures than with solid floors (gapping, crowning and cupping).
- They are wider and require no top nailing like solid boards, achievable because of a multi-plywood base.
- Available in a range of pre-finished colours and treatments.
- Almost no VOC emissions.
- Faster installation time due to pre-finished product, which means lower installation costs.
- Less waste than a solid timber floor, engineered floors usually factor 5% waste compared with 10% to 15% waste with a solid floor installation.
- Can be used in conjunction with in-slab and other sub-floor heating systems.

## THE ARTISAN TIMBER RANGE

Artisan Timber floors are constructed from the best European oak for the top layer and bonded onto a multi-plywood base, this ensures stability and longevity. The boards are pre-finished and are available in a wide range of colours and finishes, including a raw unfinished board, allowing you to choose a custom colour.

All our boards are manufactured with a tongue and groove on ends and sides.

Enjoy the added stability of Artisan Timber Flooring where other types of flooring may not be suitable.

We deliver nationwide, to all cities and most regional locations. Pick up is also welcome.


These high quality engineered floorboards are layered to give extra strength and come in a range of sizes.

Standard size being 1803mm long x 189mm wide x 15mm deep with a 4mm top layer and with special orders available up to 3600mm long x 300mm wide x 20mm deep with a 6mm top layer. Our prestige engineered flooring is handpicked delivering unsurpassed quality.

CLASSIC




Carbonised



RANGE

Elephant Skin



CLASSIC



Natural Oil




White Oil



Aged White  
& Smoked



White Wash



Timber colour will vary from samples and printed versions.  
All boards will vary across every floor.



CLASSIC

RANGE

CLASSIC



Flinders Oak



Black Oil



Rustic Oak



Bear Skin



Timber colour will vary from samples and printed versions.  
All boards will vary across every floor.




CLASSIC

RANGE

CLASSIC



Mink Grey



Provincial Oak



Black Wash



Timber colour will vary from samples and printed versions.  
All boards will vary across every floor.



SMOKED HONEY OAK  
Private Residence



Quality  
features  
and  
finishes



RUSTIC OAK  
Private Residence



# ENDEAVOUR

# RANGE

ENDEAVOUR



Endeavour  
Carbonised



Endeavour  
White Wash



Endeavour  
Four Deck



Timber colour will vary from samples and printed versions.  
All boards will vary across every floor.



Private Residence



ARTISAN WIDE BOARD

RANGE

ARTISAN WIDE BOARD



Chalet Oak



Hotham Oak



Coastal Oak



Mountain Oak



Espresso Oak



Timber colour will vary from samples and printed versions.  
All boards will vary across every floor.

# CLASSIC HERRINGBONE

# RANGE

# CLASSIC HERRINGBONE



Carbonised —  
Herringbone




Natural Oil —  
Herringbone



Black Wash —  
Herringbone



Mink Grey —  
Herringbone



White Oil —  
Herringbone



Herringbone Pattern

15mm - 3 layer construction  
Left & right Herringbone board  
4mm oak layer with 11mm base  
888mm x 148mm x 15/4mm



Timber colour will vary from samples and printed versions.  
All boards will vary across every floor.



# ARTISAN HERRINGBONE

# RANGE

# ARTISAN HERRINGBONE



Chalet Oak —  
Herringbone



Coastal Oak —  
Herringbone



Espresso Oak —  
Herringbone



Hotham Oak —  
Herringbone



Mountain Oak —  
Herringbone



Herringbone Pattern

15mm - Multi layer construction  
Left & right Herringbone board  
4mm oak layer with 11mm base  
560mm x 80mm x 15/4mm



Timber colour will vary from samples and printed versions.  
All boards will vary across every floor.



Inspiration  
within the  
natural  
beauty of  
timber


RUSTIC OAK  
Private Residence



## SPECIFICATIONS

15mm  
boards

### Stair Nosing



### Board Profiles



#### Multiply construction

4mm oak layer with 11mm base  
2200mm x 220mm x 15/4mm




#### 3 layer construction

4mm oak layer with 11mm base  
1830mm x 189mm x 15/4mm  
1900mm x 190mm x 15/4mm

20mm  
boards

### Stair Nosing



### Board Profile



#### Multiply construction

6mm oak layer with 14mm base  
2200mm x 260mm x 20/6mm  
2800mm x 260mm x 20/5mm (Four Deck)

Artisan Timber Flooring offers a modern stair nosing made from solid American Oak. Available in a raw finish, this nosing can be stained to match any colour within our wide range of pre-finished floorboards. Stair nosings for 20mm boards are available in one size: 3300mm long. Stair nosings for 15mm boards are available in three sizes: 1300mm\*, 1800mm\* and 3300mm long.

## WARRANTY & SAFETY STANDARDS

### Warranty

Artisan Timber Flooring offer up to 25 years structural warranty for long term peace of mind. Please visit [www.artisancollective.co.nz/timber](http://www.artisancollective.co.nz/timber) for full warranty details on all products.

### Fire Rating

The Artisan Timber Flooring range has been tested to the highest standards and meets all critical radiant flux requirements. Test results are available on request (EN 11925).

### Formaldehyde Emissions

The Artisan Timber Flooring range has been tested for formaldehyde emission and is significantly below the required standard. The emission of formaldehyde is an important factor in the evaluation of the environmental health effects of wood-based board materials. Test results are available on request (06-462B/AP 1426/015/06) (EN 717-1) (AUS/NZS 3837-1998).



# MAINTENANCE GUIDE FOR ARTISAN TIMBER OILED FLOORS

In order to ensure long lasting satisfaction of your new Artisan Timber oil floor, it is important to correctly care for the floor starting immediately after installation. With the right care, the oiled floor will become increasingly easy to clean and more hard wearing over time.

## After-Installation Care


Although all Artisan Timber floors come factory oiled, we do recommend one coat of object oil and buff immediately after installation before the floor is used. As a result of this the surface will then be more hard-wearing and be easier to clean and maintained in the future.

## Normal Basic Cleaning

Normal cleaning to remove surface debris is accomplished using a soft broom or foam type cleaner (no micro-fibre cloths). To remove normal stains and non-loose dirt, the floor should be cleaned with our Wooden Floor Soap in order to achieve the best cleaning results. The soap has two functions: it cleans the floor and at the same time forms an invisible, protective film on the surface of the floor making it even more resistant to damage from dirt. (Note: do not go back over with clean water or use any domestic or commercial cleaning products). Please refer to the maintenance section on our website at [www.artisancollective.co.nz/timber](http://www.artisancollective.co.nz/timber).

## Cleaning Extremely Dirty Floors

If the floor has become very dirty and/or been neglected, it should be cleaned using Wooden Floor Soap, immediately after cleaning with the Wooden Floor Soap, the floor should then be re-oiled (object oil) and buffed. Contact Artisan Timber Flooring for more information.



WINDSOR  
SMITH

GLASSONS

LIPSTIK  
shoes

endota spa



# ARTISAN TIMBER ICON INDEX

---



DISTRESSED  
BEVEL EDGE



15mm  
THICKNESS



3 LAYER  
CONSTRUCTION



HAND  
SCRAPED FEEL



20mm  
THICKNESS



MULTI LAYER  
CONSTRUCTION



RIVERSTONE  
EFFECT



AVAILABLE IN  
WIDEBOARD



TONGUE &  
GROOVE



NATURAL OIL  
FINISH



RANDOM  
SAW MARKS



MICRO  
BEVEL EDGE



UV OIL  
FINISH



WATER BASED  
LACQUER FINISH



DISTRESSED  
SURFACE

Auckland  
31a Normanby Rd, Mt Eden  
  
Christchurch  
Designmade, 400 Barbadoes St  
  
0508 Artisan  
[sales@artisancollective.co.nz](mailto:sales@artisancollective.co.nz)  
[artisancollective.co.nz/timber](http://artisancollective.co.nz/timber)

