

Wave with Silent Gliss 5600

Silent Gliss Curtain Track Systems



Experience and Quality

The introduction of the world's first silent curtain track system was the starting point for Silent Gliss to become world leader in high end window treatment solutions.

Over 50 years on and still Silent Gliss curtain systems represent the industry's standard due to ongoing innovation and constant focus on the highest quality.

Quality and warranty

Whether sophisticated electric curtain systems or hidden tracks, the combination of high end materials and precise manufacturing make it possible for Silent Gliss to provide a 5 year warranty.

Ease of operation

Hand, cord or electrically operated, Silent Gliss offer a full range of curtain systems.

The contemporary curtain

By developing the Wave and Wave XL curtain heading systems, Silent Gliss reinvented the classic curtain to fit with todays modern architecture.



Hand Operated Curtain Track Systems

With many different hand operated curtain track systems, Silent Gliss have the required track for any given specification. Regardless of surface, size, shape or colour Silent Gliss are able to provide the ideal system for any installation.

All tracks can be bent for curved applications. Profiles are available for ceiling or wall fix.



The system charts at the back of this brochure will help you make the correct track selection.



Cord Operated Curtain Track Systems

Cord operation avoids the need to handle the curtains and easily controls heavy or inaccessible curtains.

A range of 5 corded tracks are offered to suit all requirements, from medium to heavy duty.

All tracks can be bent for curved applications. Profiles are available for ceiling or wall fix.



Independent curtain operation

If curtains are particularly heavy, or there is a need to operate them independently, Silent Gliss offer an intermediate pulley which cords the track at both ends for individual curtain opening.



Please see application charts at the back of this brochure for full range details.



Silent Gliss and child safety

As children grow, so does their curiosity with the world around them. Every day, household objects can be dangerous to infants. Chains and cords from curtains or blinds have been identified as a potential risk to small children.



Therefore, all our cord operated curtain track systems comply fully with the EN 13120.

WARNING



Young children can be strangled by loops in pull cords, chains, tapes and inner cords that operate the product. To avoid strangulation and entanglement, keep cords out of the reach of young children. Cords may become wrapped around a child's neck. Move beds, cots and furniture away from window covering cords. Do not tie cords together. Make sure cords do not twist and create a loop.

Electric Curtain Track Systems

Silent Gliss lead the market for automated curtain track systems, offering the widest, most efficient and reliable range of electrically operated curtain tracks.

There exists a track designed for every level of application, from the Silent Gliss 5090 Autoglide right up to the stage curtain system 5800.

Silent Gliss 5600 - for the highest demands

The Silent Gliss 5600 curtain track system provides benchmarking technology based on outstanding Swiss innovation which meets the complex demands of modern architecture. The system has three key captivating features: Silence, speed and power.



The motor can be upgraded anytime with additional receiver for radio remote control systems Silent Gliss 9940 and 0450.

Impressively ...

... silent

The all new Silent Gliss 5600 curtain track system provides complete silence due to a perfect combination of a new patented* two-component roller technology, the exclusive Swiss engineered high-performance motor and the specially coated curtain tracks.

... fast

The new high-performance motor offers the fastest curtain movement at up to 21 cm per second.

... powerful

A remarkable pulling force of 65 kg at high speed to meet the most challenging architectural needs.

*Patent pending

Silent Gliss 5090 Autoglide

This made to measure powered curtain system from Silent Gliss is ideal for simple domestic curtain applications. The choice of four system options allows you to operate your curtains automatically via a switch, a handset, a dawn to dusk sensor or a timer.



Infrared Set and Timer Set combined



Total Control

Silent Gliss radio control systems allow remote operation without the need of complex wiring.

Operation possibilities

- Variety of hand held and wall switches
- Single or multiple channel solutions
- Daylight controlled operation with light sensors
- Timer function
- Remote control by SMS
- Home automation connectivity
- Smart phones and tablets (eg. iPhone and iPad) connectivity



Remote controls Silent Gliss 9940



Remote controls Silent Gliss 0450

Our Customer Services team will be on hand from the start to offer expert advice on the most appropriate systems, control combinations and wiring for your project.



Silent Gliss Fabric Collection

Whilst many fabrics are suitable for Wave, only when using Silent Gliss approved Wave fabrics can you be assured the perfect and even wave effect. By selecting one of our wider fabrics and limiting the number of joins, the highest quality curtain is achieved.

Fabrics supplied by Silent Gliss are mainly Oeko-Tex certified and all are flame retardant. The well proven Colorama is offered in two transparancies and 40 colours – perfect for Wave curtains.

For ultimate reassurance, Silent Gliss offer a tailor made-to-measure curtain service. Our team of experienced curtain makers work with proven equipment and fabrics to ultimate effect.

Wave and Wave XL The Reinvention of the Classic Curtain

Only a curtain from Silent Gliss can make waves whilst at the same time radiating tranquillity and harmony. It could be regarded as a design feature, the most beautiful contemporary curtain in the world.

Using a unique glider cord contained within the track and some specifically designed finishing components, Silent Gliss offer two systems: The standard Wave and as well as the extraordinary Wave XL for impressive big size applications.



A modern curtain heading system combined with a suitable fabric is guaranteed to be a real eye-catcher in every room.

Hand Operated Curtain Track Systems Overview and Options

| ation | Prof | ile | | Fea Opt | tures ions | / | | | | Fitti Opt | ng ions | | | Fitt Sur | ing faces | 3 | | | |
|----------------|----------------|--------------------|----------------------|------------------------------|----------------|------------------|-----------------|-------------------|---------------|---------------|------------------------|-------------|------------|-------------|---------------|------|----------|-------------------|--------|
| Specification | | | (m | Radius (mm) | | | | | | | stem | | | | | | | | |
| Weight Range | Profile Number | Dimensions in mm | Gliding Channel (mm) | Standard Bending Radius (mm) | Recess Profile | Wave Glider Cord | Retrofit Glider | Quick-Clip Glider | Roller Glider | Safety Glider | Picture Hanging System | Ceiling Fix | Recess Fix | Wall Fix | Direct Fixing | Wood | Concrete | Suspended ceiling | System |
| <u>♀</u> kg | 1011 | 8.2 7.5 3.7 | 3.7 | 60 | • | | • | | | | | | • | | • | • | | | 1011 |
| kg | 1012 | | 3.7 | 100 | | | • | | | | | • | | | • | • | • | | 1012 |
| Ω kg | 1021 | | 3.7 | 100 | | | • | | | | | | | • | • | • | | | 1021 |
| <u>Ω</u> kg | 1025 | | 3.7 | 100 | | | • | | | | | • | | | • | • | | | 1025 |
| <u>Ω</u> kg | 1090 | | 3.7 | 200 | | | • | | | | | • | | • | | • | • | • | 1090 |
| <u>Ω</u> kg | 1080 | 8.2 22.5 3.7 | 3.7 | 200 | | | • | | | | | • | | • | | • | • | • | 1080 |
| <u>Ω</u> kg | 1200 | | | 100 | | | | • | | | | • | | • | | • | • | • | 1200 |
| Q kg | 1221 | 35 | | | | | | ٠ | | | | | | • | • | • | • | | 1221 |

Hand Operated Curtain Track Systems Overview and Options



For full product details and specifications please refer to the relevant Silent Gliss technical catalogue.

Cord Operated Curtain Track Systems Overview and Options



For full product details and specifications please refer to the relevant Silent Gliss technical catalogue.

Electric Curtain Track Systems Overview and Options

| Specification | App | olicati | ons | | Pro | Profile | | | | | | Features / Options | | | | | | | Fitting Surfaces | | | |
|----------------|--------------|------------|----------------|------------|----------------|---------------------|-----------------|----------------------------------|--------------------------|------------------|-------------------|-----------------------|--------------|--------------------------|-----------------|-------------|---------------|------------|---------------------|----------|-------------------|--------|
| Weight Range | Single Stack | Pair Stack | Multiple Stack | Asymmetric | Profile Number | Dimensions in mm | Gliding Channel | Special Recess Profile available | Min. Bending Radius (mm) | Wave Glider-Cord | Roller or Gliders | Timer / IR Facility | Light Sensor | Radio Control / Move App | Manual Override | Ceiling Fix | Wall Fix | Recess Fix | Wood | Concrete | Suspended ceiling | System |
| <u>∩</u> kg | • | • | | | 2191 | | 5.4 | | 250 | • | | • | • | | • | • | • | | • | • | | 5090 |
| <u>∫</u> kg | • | • | | | 10850 | | 6.5 | • | 250 | • | • | • | • | • | • | • | • | • | • | • | • | 5600 |
| kg | • | • | • | • | 5301 | 55.2 27.5 5.4 | 5.4 | | 500 | | • | • | Optional | • | | • | • | | • | • | | 5300 |
| <u>∩</u> kg | • | • | • | • | 5810 | 34.2 42.8 10 | 10 | | 500 | | • | | | • | | | Wall or Floor | | • | • | | 5800 |
| kg_∣ | Light- | weigh | t appl | icatior | าร | Kg Medium-we | eight a | pplica | ations | | <u>)</u> kg |] Hea | avy-d | uty ap | plicat | ions | | | | | | |

For full product details and specifications please refer to the relevant Silent Gliss technical catalogue.



Silent Gliss is the leading global supplier of motorised and manual curtain and blind systems in the high quality market. We offer our customers the very best in terms of quality, design, technology, service and individuality. Our core competence is innovation – inspired and driven by customer needs. A team of highly skilled and experienced professionals work on new developments as well as on the improvement of existing products. With committed customer support teams, Silent Gliss provides an extensive range of services including technical advice, fitting services and maintenance all around the world.

www.silentgliss.co.uk www.silentglissglobal.com

Silent Gliss Ltd. Pyramid Business Park Poorhole Lane, Broadstairs Kent CT10 2PT Great Britain

Tel: +44 (0) 1843 863571 Fax: +44 (0) 1843 864503 info@silentgliss.co.uk Silent Gliss Global Ltd. Pyramid Business Park Poorhole Lane, Broadstairs Kent CT10 2PT Great Britain

Tel: +44 (0) 1843 874250 Fax: +44 (0) 1843 874457 info@silentglissglobal.com